

Organism	TOTAL ISOLATES	BETA - LACTAMS														CARBAPENEM			POLYMYXINS	QUINOLONES				AMINOGLYCOSIDES				GLYCOPEPTIDES				MISCELLANEOUS						
		PENICILLIN	AMPCILLIN	AMOXICILLIN/CLAVULANIC ACID	AMPCILLIN/SULBACTAM	PIPERACILLIN/TAZOBACTAM	CEFAZOLIN	CEPHALOTHIN	CEFUROXIME SODIUM	CEFOPERAZONE/SULBACTAM *	CEFOTAXIME	CEFTAZIDIME	CEFTRIAXONE	CEFEPIME	CEFOXITIN	ERTAPENEM	IMPENEM	MEROPENEM	COLISTIN	NALIDIXIC ACID	PROFLOXACIN	LEVOFLOXACIN	NORFLOXACIN	FLOROXACIN	AMIKACIN	GENTAMICIN	SENTAMICIN 120 µg	NETILMICIN	VANCOMYCIN	VANCOMYCIN BY E-TEST	TEICOPLANIN	FOFOMICIN	CUNDAMYCIN	ERYTHROMYCIN	NITROFURANTOIN	CHLORAMPHENICOL	CO-TRIMOXAZOLE	TETRACYCLINE
<i>Enterococcus faecalis</i>	1,319	74.4 (908)	95.9 (1147)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.5 (252)	34.3 (134)	27.1 (442)	-	-	-	-	52.4 (902)	-	99.3 (1120)	-	-	89.4 (160)	-	-	97.3 (37)	69 (87)	-	-	8.2 (49)
<i>Enterococcus faecium</i>	613	6.1 (344)	10.6 (528)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.3 (115)	4.6 (65)	3.8 (182)	-	-	-	-	62.5 (413)	-	96 (502)	-	-	-	-	28.6 (21)	92.5 (40)	-	-	12.9 (31)	
<i>Enterococcus</i> spp.	264	31.1 (164)	50.4 (248)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.2 (41)	6.2 (16)	25 (128)	-	-	-	-	61.9 (194)	-	99.2 (249)	-	-	-	-	73.3 (15)	68.4 (19)	-	-	8.3 (12)	
<i>Staphylococcus aureus</i> (all isolates)	2,239	5.3 (730)	-	-	-	-	-	-	-	-	-	-	81.7 (2116)	-	-	-	-	-	72.9 (450)	66 (253)	76.8 (56)	94.8 (58)	-	85.4 (1711)	-	-	100 (34)	-	-	78.3 (1692)	79.9 (1886)	-	-	33.1 (175)	33.9 (1902)	40.7 (280)		
(MRSA)	401	0 (135)	-	-	-	-	-	-	0 (401)	-	-	-	-	-	-	-	-	-	9.7 (103)	11.6 (69)	16.7 (12)	0 (2)	-	21.3 (305)	-	-	100 (17)	-	-	8.1 (310)	10.2 (334)	-	-	86.4 (22)	75.5 (368)	25 (48)		
(MSSA)	1,744	6.5 (597)	-	-	-	-	-	-	100 (1744)	-	-	-	-	-	-	-	-	-	90.9 (350)	87 (184)	93.2 (44)	98.1 (53)	-	98.7 (1425)	-	-	100 (16)	-	-	93.7 (1387)	94.4 (1566)	-	-	94.8 (153)	96.1 (1550)	44.2 (231)		
(ICU)	31	5.3 (19)	-	-	-	-	-	-	64.5 (31)	-	-	-	-	-	-	-	-	-	-	-	100 (1)	-	-	67.9 (28)	-	-	100 (2)	-	-	64 (25)	65.4 (26)	-	-	100 (3)	100 (22)	-		
(inpatient)	584	5.1 (276)	-	-	-	-	-	-	76 (563)	-	-	-	-	-	-	-	-	-	78.6 (117)	69.2 (13)	88.9 (9)	97.1 (34)	-	73.1 (458)	-	-	100 (10)	-	-	73.1 (491)	73.4 (507)	-	-	91.8 (61)	92.6 (470)	43.3 (30)		
(outpatient)	37	6.2 (16)	-	-	-	-	-	-	91.7 (36)	-	-	-	-	-	-	-	-	-	87.5 (16)	83.3 (6)	100 (1)	100 (2)	-	91.7 (24)	-	-	-	-	-	82.9 (35)	82.9 (35)	-	-	87 (61)	92.4 (470)	50 (2)		
<i>Staphylococcus</i> , coagulase negative	1,957	7.8 (631)	-	-	-	-	-	-	40.9 (1840)	-	-	-	-	-	-	-	-	-	54.6 (515)	53.2 (203)	58.3 (108)	82.6 (23)	-	65 (1519)	-	-	100 (3)	-	-	81.1 (90)	53.5 (1414)	35.9 (1513)	-	-	87 (154)	62.4 (1589)	52.4 (168)	
<i>Staphylococcus</i> , coagulase negative (blood)	1,100	7.5 (295)	-	-	-	-	-	-	75 (16)	-	-	-	-	-	-	-	-	-	51.9 (266)	50 (112)	-	75 (16)	-	65.3 (854)	-	-	100 (1)	-	-	52.2 (789)	36.5 (906)	-	-	89.2 (83)	61 (896)	52.7 (91)		
<i>Staphylococcus saprophyticus</i>	30	13.3 (15)	-	-	-	-	-	-	65.4 (26)	-	-	-	-	-	-	-	-	-	69.2 (13)	100 (2)	93.3 (15)	0 (1)	-	95.7 (23)	-	-	-	-	-	28.6 (7)	50 (6)	-	-	-	92 (25)	75 (8)		
<i>Streptococcus pneumoniae</i> (all isolates)	423	69.6 (237)	**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100 (193)	-	-	95.7 (23)	-	-	100 (351)	-	-	-	-	69.7 (284)	65.4 (376)	-	-	86.7 (105)	50.5 (307)	22.7 (88)		
(age 0-5 years old)	65	70 (30)	**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100 (23)	-	-	-	-	-	100 (47)	-	-	-	-	63 (46)	50 (58)	-	-	75 (12)	43.8 (48)	10 (10)		
(age > 5 years old)	356	69 (203)	**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100 (170)	-	-	95.7 (23)	-	-	100 (297)	-	-	-	-	71.2 (236)	67.5 (311)	-	-	88.2 (93)	51.6 (252)	24.4 (78)		
(Sterile sites)***	156	75 (96)	**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100 (70)	-	-	100 (12)	-	-	100 (119)	-	-	-	-	74.5 (102)	71.4 (140)	-	-	92.7 (55)	57 (121)	31 (42)		
(Non-sterile sites)****	297	66.7 (153)	**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100 (135)	-	-	90.9 (11)	-	-	100 (252)	-	-	-	-	68.5 (197)	63.2 (258)	-	-	62.8 (58)	48.3 (207)	18.9 (53)		
(Meningitis: by E-test)		38.5 (26)	-	-	-	-	-	-	84.2 (19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(Nonmeningitis: by E-test)		88.5 (26)	-	-	-	-	-	-	94.7 (19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* : No CLSI Interpretive Criteria. Interpret according to cefoperazone/sulbactam in **Enterobacteriaceae**

** : Interpret according to oxacillin susceptibility test

*** : Blood, CSF, Pleural Fluid

**** : Sputum, Ear, Sinus

U : Urine, Urine Catheter, Urine Clean- Voided