



# สถานการณ์ความไวของเชื้อต่อยา

**2000- 2015 (6 months)**

# Antimicrobial Resistance rates of *Enterococcus spp.* by year (NARST-50 hospitals, 2000-2015)




# Antimicrobial Resistance rates of *S. pneumoniae* by year (NARST-50 hospitals, 2000-2015)




# Antimicrobial Resistance rates of *Staphylococcus spp.* by year (NARST-50 hospitals, 2000-2015)


◆ Cefoxitin ■ Erythromycin ▲ Clindamycin ◆ Ciprofloxacin ✖ Vancomycin by E-test




# Antimicrobial Resistance rates of *E. coli* by year (NARST-50 hospitals, 2000-2015)




# Antimicrobial Resistance rates of *K. pneumoniae* by year (NARST-50 hospitals, 2000-2015)



# Percent resistant of *Non-typhoidal Salmonella* isolated from Blood, 2000-2015




# Percent resistant of *Non-typhoidal Salmonella* isolated from **Stool & Rectal swab**, 2000-2015





# Antimicrobial Resistance rates of *Acinetobacter* spp. by year (NARST-50 hospitals, 2000-2015)



# Antimicrobial Resistance rates of *P. aeruginosa* by year (NARST-50 hospitals, 2000-2015)

