

## Percentage of susceptible Organisms Isolated From Stool and Rectal Swab, RMSC 10, 5 hospitals, Jan - Dec 2017

Organism	TOTAL ISOLATES	BETA - LACTAMS											CARBAPENEMS		QUINOLONES			AMINOGLYCOSIDES		MISCELLANEOUS					
		PENICILLIN	AMPICILLIN	AMOXICILLIN/ CLAVULANIC ACID	AMPICILLIN / SULBACTAM	PIPERACILLIN / TAZOBACTAM	CEFAZOLIN (A)	CEFAZOLIN (U)	CEFOTAXIME	CEFTAZIDIME	CEFEPIME	CEFOXITIN	IMPENEM	MEROPENEM	CIPROFLOXACIN	LEVOFLOXACIN	OFLOXACIN	AMIKACIN	GENTAMICIN	CHLORAMPHENICOL	CO-TRIMOXAZOLE	TETRACYCLINE			
<i>Salmonella</i> , Non typhoidal																	e	e							
<i>Shigella</i> spp.																	e	e							
<i>Vibrio cholerae</i> (all serotypes) □																									
<i>Vibrio parahaemolyticus</i>							e	e																	
<i>Vibrio</i> spp. □	32						e	e																100 29	100 29