

Percentage of susceptible Organisms Isolated From Stool and Rectal Swab, RMsC 1 & 1/1, 8 hospitals, JAN - DEC 2017

Organism	TOTAL ISOLATES	BETA - LACTAMS											CARBAPENEMS		QUINOLONES			AMINOGLYCOSIDES		MISCELLANEOUS			
		PENICILLIN	AMPICILLIN	AMOXICILLIN/ CLAVULANIC ACID	AMPICILLIN / SULBACTAM	PIPERACILLIN / TAZOBACTAM	CEFAZOLIN (A)	CEFAZOLIN (U)	CEFOTAXIME	CEFTAZIDIME	CEFEPIME	CEFOXITIN	IMIPENEM	MEROPENEM	CIPROFLOXACIN	LEVOFLOXACIN	OFLOXACIN	AMIKACIN	GENTAMICIN	CHLORAMPHENICOL	CO-TRIMOXAZOLE	TETRACYCLINE	
<i>Salmonella</i> , Non typhoidal ^e	. ^e				.		
<i>Shigella</i> spp. ^e	. ^e				.		
<i>Vibrio cholerae</i> (all serotypes)		
<i>Vibrio parahaemolyticus</i>	54		 ^e	. ^e	100 (41)		100 (46)	.	
<i>Vibrio</i> spp.	54		 ^e	. ^e	100 (41)		100 (46)	.	